Data sheet - cycle 1 Lowering serum urate levels in patients with gout

Patient prescribed allopurinol for ≥ 12 months	Last recorded serum urate level ≤ 0.36 mmol/L	Optional: record serum urate level	Recorded serum urate level within the past 12 months
	Yes/No		Yes/No
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
Results:	÷ No. of patients x 100		Total "Yes" × 100
	= %		=%

Data sheet – cycle 2 Lowering serum urate levels in patients with gout

Patient prescribed allopurinol for ≥ 12 months	Last recorded serum urate level ≤ 0.36 mmol/L	Optional: record serum urate level	Recorded serum urate level within the past 12 months
	Yes/No		Yes/No
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
Results:	÷ No. of patients × 100		÷ No. of patients
	= %		= %



SUMMARY SHEET

Audit of medical practice (CQI activity)

Topic:				
Lowering serum urate levels in patients with gout				
Activity designed by (name of organisation, if relevant):				
Bpac ^{nz}				
Doctor's name:				
Results discussed with peer group or colleagues?	Date:			
Yes No				
FIRST CYCLE				
THIS STOLE				
DATA: Date of data collection:				
CHECK: Describe any areas targeted for improvement as a result of analysing the data collected.				
ACTION: Describe how these improvements will be implemented.				
MONITOR: Describe how well the process is working. When will you undertake a second cycle?				