# Release Notes Medtech32

## New Zealand Formulary (BPACNZRx) Integration



**Repeating Medications** 

(February 2020)



These release notes contain important information for Medtech32 users. Please ensure that they are circulated amongst all relevant staff. We suggest that this document is filed safely for future reference.

## Contents

# Steps to remap a Medication record when selected for repeating

Selecting to repeat an existing MIMS based Medication (or multiple Medications) that requires mapping to an NZF based Medication (medication displayed in italics) will require you to check and complete the following actions:

#### 1. Select patient Medications to Repeat

Select an existing MIMS based Medication (or multiple Medications) to repeat for a patient that requires mapping to an NZF based Medication. The existing MIMS based Medications that require mapping are those that are displayed in italics in the Patient Medication list.

Rep Date	Drug Name	Q	ty Directions				
🔲 26 Mar	2018 Amoxycillin 250mg Cap	12	2 1 caps, Three Times Daily				
🔲 26 Mar	2018 Amoxycillin 250mg Cap	12	2 1 caps, Three Times Daily				
🔲 26 Mar	2018 Atorvastatin 10mg Tab	12	2 1 tabs, Three Times Daily				
🔲 26 Jan	2018 Simvastatin 10mg Tab	12	2 1 tabs, Three Times Daily				
🔲 5 Dec 2	ec 2018 Rivaroxaban 10 mg Tab [15] 12 1 tabs, Three Times Daily						
🔲 24 Aug	2018 Midazolam Maleate 7.5mg T	sb 0	1				
🔲 24 Aug	2018 Lorazepam 4mg/1ml Inj (sect	on 29) 0					
🔲 24 Aug	2018 Diazepam 10mg/10ml Elixir (s	ection 29) 12	2 1, Three Times Daily				
🔲 15 Aug	2018 Warfarin Sodium 1 mg Tab	12	2 1 tabs, Three Times Daily				
🔲 12 Feb	2018 Amoxycillin 250mg Cap	12	2 1 caps, Three Times Daily				
🔲 18 Jan	2018 Penicillamine 125mg Tab	12	2 1 tabs, Three Times Daily				
28 Nov	2017 Amoxycillin 250mg Cap	12	2 1 caps, Three Times Daily				
🗖 28 Not	2017 Paracetamol 120mg/5ml Ora	l Susp 1.	5 15 mls, Immediately				
🔲 15 Nov	2017 Panadol 125mg Supp	0	25 sup, Immediately				
🗖 15 Nov	2017 Amoxycillin 250mg Cap	12	2 1 caps, Three Times Daily				

#### 2. Use the Drug Map screen to identify the closest NZF based Medication

On trying to repeat an existing MIMS based patient Medication (displayed in italics), the closest NZF based Medication matches will be listed for selection.

	WARNING Auetiapine Fumarate the old database and canr of alternatives below or click		ne full drug	g list.	
SA Drugs: 🗖 Subsidised: 🔽					
🕜 Exclude drugs in sports prohibited at All times 🥅	in Competition only	in selected sports	Rx Safe	ety <u>I</u> nfo	5
Brand/Generic	Form	Brand		Sub	~
Quetiapine 100 Mg Tablet (Dp-Quetiapine)	Tablet	DP-QUETIAPINE			Ì.
Quetiapine 100 Mg Tablet (Auro-Quetiapine)	Tablet	AURO-QUETIAPINE			
Quetiapine 100 Mg Tablet (Seroquel)	Tablet	SEROQUEL			
Quetiapine 100 Mg Tablet (Quetapel)	Tablet	QUETAPEL			
Quetiapine 200 Mg Tablet (Dp-Quetiapine)	Tablet	DP-QUETIAPINE			
Quetiapine 200 Mg Tablet (Auro-Quetiapine)	Tablet	AURO-QUETIAPINE			
Quetiapine 200 Mg Tablet (Seroquel)	Tablet	SEROQUEL			
Quetiapine 200 Mg Tablet (Quetapel)	Tablet	QUETAPEL			
Quetiapine 25 Mg Tablet (Dp-Quetiapine)	Tablet	DP-QUETIAPINE			
Quetiapine 25 Mg Tablet (Auro-Quetiapine)	Tablet	AURO-QUETIAPINE			
Quetiapine 25 Mg Tablet (Seroquel)	Tablet	SEROQUEL			
Strength		P	rice	PML	-
quetiapine 25 mg tablet			1.79		
quetiapine 100 mg tablet			0.00		
quetiapine 200 mg tablet			0.00		
quetiapine 300 mg tablet			0.00		
	OK Brand	NZF Search C	ancel	He	.le



Select the most suitable NZF based medication and strength (if it is not the one that has been selected automatically for you).

The checkbox 'Copy prescribing details from old medication' is ticked by default to preserve dosage, frequency, period, mitte and classification values in the existing MIMS based patient Medication record.

Drug Map	
	WARNING Quetiapine Fumarate
	This medication is from the old database and cannot be prescribed.
	t a new medication from the list of alternatives below or click 'Search' to select from the full drug list.

#### (OR)

#### 2. Use the Drug Search screen to identify the closest NZF based Medication

If there are no suitable NZF based Medication matches, then the **Drug Search** window can be launched by clicking the 'Search' button at the bottom of the Drug Map screen.

Strength		Price	PML	^
quetiapine 25 mg tablet		1.79	3	
quetiapine 25 mg tablet		0.00	)	
quetiapine 100 mg tablet		0.00	)	
quetiapine 200 mg tablet		0.00	)	
quetiapine 300 mg tablet		0.00	)	
				~
	<u> </u>	<u>C</u> ancel	Help	,

Select the most suitable NZF based medication and strength.

Drug Search						$\geq$
Quick Advanced						
Drug Name: QUETIAPINE	<u>S</u> earch					
C <u>P</u> ersonal 🕫 <u>B</u> rand/Generic			Includ	le Inac	tive:	
SA Drugs: 🔲 Subsidised: 🥅						
② Exclude drugs prohibited in sports at all times	in Competition 🕅		F	Rx Safe	ety <u>I</u> nf	io
Brand/Generic	Form	Brand			Sub	Г
Quetiapine 25 Mg Tablet (Auro-Quetiapine)	Tablet	AURO-QUETIAPINE				Ĺ
Quetiapine 25 Mg Tablet (Dp-Quetiapine)	Tablet	DP-QUETIAPINE				ľ
Quetiapine 100 Mg Tablet (Auro-Quetiapine)	Tablet	AURO-QUETIAPINE				Ì
Quetiapine 100 Mg Tablet (Dp-Quetiapine)	Tablet	DP-QUETIAPINE				Ì.
Quetiapine 150 Mg Tablet (Auro-Quetiapine)	Tablet	AURO-QUETIAPINE				Ì
Quetiapine 200 Mg Tablet (Dp-Quetiapine)	Tablet	DP-QUETIAPINE				ſ
Quetiapine 200 Mg Tablet (Auro-Quetiapine)	Tablet	AURO-QUETIAPINE				ĺ.
Quetiapine 300 Mg Tablet (Dp-Quetiapine)	Tablet	DP-QUETIAPINE				Ì
Quetiapine 300 Mg Tablet (Auro-Quetiapine)	Tablet	AURO-QUETIAPINE				Ì
Quetiapine 25 Mg Tablet [6 Tablets] (&) Quetiapine 100 Mg Tablet [3 Tablet	Pack	SEROQUEL STARTER	PACK			Ì
Quetiapine 25 Mg Tablet (Seroquel)	Tablet	SEROQUEL				ĺ
Strength	Brand		Price		PML	Ŀ
quetiapine 25 mg tablet	Quetapel			1.79		
quetiapine 150 mg tablet	Auro-Quetia	pine		0.00		
quetiapine 200 mg tablet	Auro-Quetia	pine		0.00		ľ
quetiapine 300 mg tablet	Auro-Quetia	bine		0.00		
Add To Alternatives List	Brand Ad	id NZF	Cancel	1	Help	p

The checkbox 'Copy prescribing details from old medication' is ticked by default on the Drug Map screen which was opened prior to the Drug Search screen to preserve dosage, frequency, period mitte and classification values in the existing MIMS based patient Medication record.

#### Important Note – Selection of Medication Strength

Care must be taken if you are selecting a Medication with a different strength. If this occurs default prescribing details/instructions for the Patient Medication will need to be altered appropriately.

#### 3. Save the change in Medication name

Once the selection of the most suitable NZF based medication and strength has been completed click on the OK button to save the change from the MIMS based Medication to the selected NZF based Medication.

Strength	Brand	Price	PML	٨
quetiapine 25 mg tablet	Quetapel	1.79		
quetiapine 150 mg tablet	Auro-Quetiapine	0.00		
quetiapine 200 mg tablet	Auro-Quetiapine	0.00		
quetiapine 300 mg tablet	Auro-Quetiapine	0.00		¥

The New Patient Medication screen will be displayed, presenting the selected NZF based medication.

😧 New Patient Medicatio	on				×
Main Audit				GM	S: A4
Drug: Quetiapine 25	i Mg Tablet				
Dosage: 1 tabl	et Freq:	Three Times	Daily (TDS) 🗖	Period: 5 o	Jays
Mitte: 15 tabl	et			Amount:	49.67
Directions: 1 tablet, Thre	e Times Daily				~
					~
Repeats: 0				Optio	ons
Administer : oral		<b>_</b>	Administered in	i Clinic	
Initial Dispensing Period:	days	<b>V</b>	Provider Eligibl	e for Co-Paym	ent
Provider: Sam Eaves (S	FE)	•	Prescribed E:	xternally	
Date of Issue: 27 May 2019	-	External Prov	rider:		
	(	7 Frequent	Dispense	🔽 Long Tern	n
Classification:		▼ Co	nfidential 🥅	🔽 Generic S	ubstitution
Status:		-			
E Recomme	nded by Speciali	st 🔽	Patient meets	s Endorsemen	Criteria
Specialist:		Date Recom	mended:		<b>—</b>
Previous Drug: Quetiapine Fu	ımarate				•
Interactions					
3 Warnings	Allergy: Peanu y: Pregnancy: Co		mal Danafit XX	Embrue Fetal	Pielo Proc
<u> </u>	nteractions be	-			
	incordociona De	Arroun. diac	aprilo 20 M	ig radict, f	v
Add to Personal	<u>0</u> K	Another	<u>C</u> ancel	NZF	<u>H</u> elp

#### 4. Check and complete the Medication directions

Check and complete the administration directions for the selected NZF based medication to ensure that they are correct. Where possible the dosage, frequency, period and mitte values in the existing MIMS based patient Medication record will be displayed by default.



Wew Patient Medication	×
Main Audit	GMS: A4
📴 Drug: Quetiapine 25 Mg Tablet	
Dosage: 1 tablet Freq: Three Times Daily (TDS) - Period:	4 days
Mitte: 12 tablet Amount:	39.74
Directions: 1 tablet, Three Times Daily	~
	× .

The 'Previous Drug' field will display the name of the previous MIMS based patient Medication that was selected before the change to the NZF based patient Medication.

opeoidilet.			0.00011000						
Previous Drug: Quetiapine Fumarate									
Interactions 3 Warnings Suppress	<mark>Severe A</mark> test	Allergy: Pear	nut ''''			^			
	Pregnancy	: Pregnancy:	Compatible <b> </b> Ma	iternal Benefit	>> Embryo-Fet	al Risk: P			
Add to Pe	rsonal	<u>0</u> K	Another	<u>C</u> ancel	NZF	<u>H</u> elp			

#### 5. Review Interaction Warning for the new Patient Medication

Once you have checked and completed the administration directions for the new Patient Medication review any Interaction Warnings that may be presented to you.

Interactions	Severe Allergy: Peanut ""	^
2 Warnings	Pregnancy: Pregnancy: Compatible/Maternal Benefit >> Embryo-Fetal Risk: F	
🛕 Details		~
Add to Pers	sonal <u>D</u> K <u>Another</u> <u>C</u> ancel <u>NZF</u> <u>H</u> elp	

#### 6. Save the change in Medication record

Once you have reviewed any Interaction Warnings for the new Patient Medication that may be presented to you click on the OK button to save the new NZF based Medication.

Interactions	Severe A	llergy: Pear	nut "" ^		
2 Warnings Suppress Pregnancy: Compatible Maternal Benefit >> Embryo-Fetal					
🛕 De <u>t</u> ails			v		
Add to P <u>e</u> r	sonal	<u>0</u> K	Another Cancel NZF Help		

This will complete the repeating process for the Patient Medication, and make it available for any further re-prescribing in the Patient's Medication list.



### EMPOWERING HEALTH



#### Important Note – Presentation on the Drug Map screen

The Drug Map screen will be presented for each of the patient Medications selected for repeating that are existing MIMS based Medication records that are yet to be reclassified to the equivalent NZF Medication. The process for mapping a patient Medication must be completed for each of the Medications one by one.



Are you looking for a quick answer to your support query or changes related to this release?

Sara, our Virtual Support Chat Bot is available within our Insight Customer Portal 24 hours a day, 7 days a week, whenever you need help.

All you need to do is type a question, and Sara will provide the answer. She has been trained on most of the questions we get asked regularly on our Support Desk.

If Sara cannot answer your support query, she will assist you in creating a Support Ticket or can pass you onto a member of our Customer Care team.

If you would like to ask Sara your next support query, log into Insight at insight.medtechglobal.com